

Conveyant	Hose			End Fittings		
	1	2	3	CS	SS	BS
Chrome alum (Saturated)	A	A	D	.	.	.
Chromic acid aqueous (<50%)	C	C	D	X	.	X
Citric acid	A	A	D	X	.	.
Coal tar naphtha	B	B	B	.	.	.
Copper salts excluding halides (Saturated)	A	A	D	.	.	X
Copper chloride (Saturated)	A	D	D	Polypropylene		
Creosote (wood or coal tar)	B	B	B	.	.	.
Cresols (< 90%)	A	A	A	.	.	X
Crotonaldehyde	C	C	C	.	.	X
Cumene	B	B	B	.	.	.
Cyclohexane	B	B	B	.	.	.
Cyclohexanol	B	B	B	.	.	.
Cyclohexanone	C	C	C	.	.	.
Cyclohexylamine	B	B	D	.	.	X
Cyclopentane	B	B	B	.	.	.
p-Cymene	B	B	B	.	.	.
C.S.F.	X	X	X	X	X	X
Decalin	PTFE			.	.	.
Decyl alcohol	B	B	B	.	.	.
Decyl acrylate	B	B	D	.	.	.
Detergents	A	A	A	.	.	.
Dextrin	A	A	A	.	.	.
Diacetone alcohol	B	B	B	.	.	.
Diaminoethylamine	B	B	C	.	.	.
Diamylamine	B	B	C	.	.	.
Dibromoethane	B	B	D	.	.	.
Dibutylamine	B	B	C	.	.	X
Dibutyl ether	C	C	C	.	.	.
Dibutyl phthalate	B	B	B	.	.	.
Dibutyl sebacate	B	B	B	.	.	.
Dichloroacetic acid	C	D	D	Polypropylene		
Dichlorobenzene	C	C	C	.	.	X
Dichlorobutane	C	C	C	.	.	.
Dichlorodifluormethane	Gas Hose			.	.	.
Dichloroethane	C	C	C	.	.	.
Dichlorethylene	C	C	C	.	.	.
Dichloroethyl ether	C	C	C	.	.	X
Dichloromethane	C	C	C	.	.	.
Dichloropropane	C	C	C	.	.	.
Dichloropropylene	C	C	C	.	.	.
Dichloropropionic acid	C	C	D	X	.	X
Dicyclopentadiene	D	D	D	X	X	X
Diesel oil	B	B	B	.	.	.
Diethanolamine	A	A	D	.	.	X
Diethylamine	B	B	D	.	.	X
Diethylaminoethanol	B	B	C	.	.	.
Diethylbenzene	B	B	B	.	.	.
Diethylene dioxide	B	B	B	.	.	.
Diethylene glycol	A	A	A	.	.	.
Diethylene glycol diethyl ether	B	B	B	.	.	.
Diethylene glycol monobutyl ether	C	C	C	.	.	.
Diethylene glycol monoethyl ether	C	C	C	.	.	.
Diethylene glycol monobutyl ether acetate	C	C	C	.	.	.
Diethylene glycol monobutyl ether acetate	C	C	C	.	.	.
Diethylene glycol monomethyl ether	C	C	C	.	.	.
Diethylene glycol monomethyl ether acetate	C	C	C	.	.	.
Diethylenetriamine	B	B	D	.	.	X
Diethyl ethanolamine	B	B	D	.	.	X
Diethyl ether	B	B	B	.	.	.
Diethyl ketone	B	B	B	.	.	.
Diethyl oxalate	B	B	B	.	.	.
Diethyl phthalate	A	A	A	.	.	.
Diethyl sebacate	A	A	A	.	.	.
Diethyl sulphate	B	B	D	.	.	.
Diphenylamine (molten)				X	.	X
Diisobutylamine	B	B	B	.	.	.
Diisobutylene	B	B	B	.	.	.
Diisobutyl ketone	B	B	B	.	.	.
Diisobutyl phthalate	B	B	B	.	.	.
Diisobutyl adipate	B	B	B	.	.	.
Diisobutyl phthalate	A	A	A	.	.	.
Diisopropanolamine	B	B	D	.	.	X
Diisopropylamine	B	B	D	.	.	X
Diisopropyl ether	B	B	B	.	.	.
Diisopropyl ketone	B	B	B	.	.	.
Dimethylamine	B	B	D	.	.	X
Dimethyl ethanolamine	B	B	D	.	.	X
Dimethyl formamide	A	A	A	.	.	.
Dimethyl ketone	A	A	A	.	.	.
Dimethyl phthalate	B	B	B	.	.	.

Conveyant	Hose			End Fittings		
	1	2	3	CS	SS	BS
Dimethyl sulphate	B	B	D	.	.	.
Dimethyl sulphide	B	B	B	.	.	.
Dinitrobenzene	C	C	C	.	.	.
Diocetylamine	B	B	D	.	.	X
Diocetyl phthalate	B	B	B	.	.	.
Diocetyl sebacate	B	B	B	.	.	.
Dioxane	C	C	C	.	.	.
Dipentene	B	B	B	.	.	.
Diphenyl ether	B	B	B	.	.	.
Diphenylmethane diisocyanate	B	B	B	.	.	.
Diphenyl phthalate	B	B	B	.	.	.
Dipropylamine	B	B	B	.	.	.
Dipropylene glycol	A	A	A	.	.	.
Dipropylene glycol monomethyl ether	C	C	C	.	.	.
Dodecyl alcohol	B	B	B	.	.	.
Dodecyl benzene	B	B	B	.	.	.
Dodecyl benzene sulphonic acid	C	C	D	X	.	X
Dodecyl phenol	B	B	B	.	.	.
Dodecyl methacrylate	D	D	D	X	X	X
Epichlorohydrin	B	B	B	.	.	.
Ethyl alcohol	A	A	A	.	.	.
Ethanolamine	A	A	B	.	.	.
Ethoxy ethanol	C	C	C	.	.	.
Ethoxyethyl acetate	C	C	C	.	.	.
Ethoxy propanol	C	C	C	.	.	.
Ethyl acetate	C	C	C	.	.	.
Ethyl acrylate	B	B	B	.	.	.
Ethyl aluminium dichloride	PTFE			.	.	.
Ethylamine	B	B	C	.	.	.
Ethylbenzene	B	B	B	.	.	.
Ethyl butanol	B	B	B	.	.	.
Ethyl butylamine	B	B	C	.	.	.
Ethyl chloride	C	C	C	.	.	.
Ethyl cyclohexane	C	C	C	.	.	.
Ethyl cyclohexylamine	C	C	C	.	.	.
Ethylene carbonate	B	B	C	.	.	.
Ethylene chloride	C	C	C	.	.	.
Ethylene chlorohydrin	B	B	B	.	.	.
Ethylene cyanohydrin	B	B	B	.	.	.
Ethylene diamine	B	B	B	.	.	.
Ethylene dibromide	B	B	C	.	.	.
Ethylene dichloride	C	C	C	.	.	.
Ethylene glycol	A	A	A	.	.	.
Ethylene glycol monobutyl ether	A	A	A	.	.	.
Ethylene glycol methyl butyl ether	B	B	B	.	.	.
Ethylene glycol monobutyl ether acetate	B	B	B	.	.	.
Ethylene glycol monoethyl ether	A	A	A	.	.	.
Ethylene glycol monomethyl ether	B	B	B	.	.	.
Ethyl ether	B	B	B	.	.	.
Ethyl formate	B	B	D	.	.	.
Ethylene oxide (dedicated hose)	B	B	D	X	.	X
Ethylene glycol monomethyl ether acetate	B	B	B	.	.	.
Ethyl hexanoic acid	B	B	D	X	.	X
Ethyl hexyl alcohol	A	A	A	.	.	.
Ethylene glycol monophenyl ether	B	B	B	.	.	.
Ethyl hexyl acrylate	B	B	C	.	.	.
2-Ethyl hexylamine	B	B	C	.	.	.
Ethyl odide	C	C	C	.	.	.
Ethyl isobutyl ether	B	B	D	.	.	.
Ethyl methacrylate	C	C	C	.	.	.
2-Ethyl-3-propylacrolein	C	C	C	.	.	.
Ethyl propyl ether	B	B	B	.	.	.
Ethyl propyl ketone	C	C	C	.	.	.
Ethyl silicate	A	A	A	.	.	.
Ethyl sulphate	B	B	B	.	.	.
Ethyl vinyl ether	B	B	B	.	.	.
Fatty acids	A	A	D	X	.	.
Fatty alcohols	A	A	A	.	.	.
Ferrous, ferric salts excluding halides	A	B	D	.	.	.
Fluorinated refrigerants	Gas Hose			.	.	.
Fluorine	PTFE			.	.	.
Fluosilicic acid	A	A	D	X	.	X
Formaldehyde solution (< 45%)	A	A	A	.	.	.
Formanide	A	B	D	X	.	.
Formic acid	A	A	D	X	.	.
Freons	Gas Hose			.	.	.
Fruit Juice	A	A	D	.	.	.
Fructose	A	A	A	.	.	.